






| REVISION HISTORY | | | | |
|------------------|-----|-----------------|-----------|----------|
| ECN | REV | DESCRIPTION | DATE | APPROVED |
| 11123 | N | INITIAL DRAWING | 7/19/2012 | DAS |



NOTE:
SECONDARY DIMENSIONS - MILLIMETERS NOTED IN BRACKETS

| | | | | | |
|----------|---|---|-----------|---|--------------|
| MATERIAL | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: DIMENSIONS ± 0.005 ANGLES ± 1° 1. ALL ANGLES 90° 2. ALL INSIDE EDGES TO HAVE .005" TO .035" FILLETS. 3. ALL OUTSIDE EDGES TO HAVE .005" TO .015" CHAMFER OR RADIUS. | PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE WILL-BURT COMPANY ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF THE WILL-BURT COMPANY IS PROHIBITED. | | AN EMPLOYEE OWNED COMPANY ORRVILLE, OH | |
| | | | | TITLE NS 10-9000-6 OPT-220V | |
| FINISH | APPROX. WT: 161.6 lbmass THIRD ANGLE PROJECTION | APPROVALS | DATE | SIZE | DWG NO |
| | | DRAWN dasmith | 7/19/2012 | B | 721050010 |
| | | CHECKED | | PN: | 721050010 |
| | | | | | SHEET 1 OF 2 |


**BOTTOM VIEW
MOUNTING BOLT PATTERN**



NOTE:

- 1 APPLY RTV #739 OR EQUAL TO ALL OPEN HOLES
- 2 SEE WIRING DIAGRAM WD-46276 FOR WIRING DETAILS
- 3 SET LIGHT BARS HOME POSITION PARALLEL TO BASE PLATE WHEN STOWED
- 4 APPLY LOCTITE #242 OR EQUAL TO ALL THREADS UNLESS OTHERWISE NOTED
- 5 APPLY A COAT OF SILICONE GREASE TO RCP MOTOR BORES PRIOR TO SHAFTS BEING INSTALLED

| BOM | | | |
|------|-----|-------------|--|
| ITEM | QTY | PART NUMBER | DESCRIPTION |
| 1 | 1 | 4627603 | BASE ASSEMBLY NSP |
| 2 | 1 | 4807801 | KIT, SHIPPING NSP (NOT SHOWN) |
| 3 | 1 | 4706701 | NSP LABEL KIT (NOT SHOWN) |
| 4 | 1 | 4746301 | OPT. 6000W([6] X 1500) LIGHT KIT 220V WH |
| 5 | 1 | 4742501 | RCP ASSEMBLY NSP STD |

| | | | | | | |
|-------------------------|--|--|-----------|---|-----------|--------------|
| MATERIAL | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ON: DIMENSIONS ± 0.005 ANGLES ± 1° 1. ALL ANGLES 90° 2. ALL INSIDE EDGES TO HAVE .005" TO .035" FILLETS. 3. ALL OUTSIDE EDGES TO HAVE .005" TO .015" CHAMFER OR RADIUS. 125√ ON ALL MACHINED SURFACES | PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THE WILL-BURT COMPANY ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF THE WILL-BURT COMPANY IS PROHIBITED. | |  AN EMPLOYEE OWNED COMPANY ORRVILLE, OH | | |
| FINISH | | APPROVALS | DATE | SIZE | DWG NO | REV |
| APPROX. WT:161.6 lbmass | THIRD ANGLE PROJECTION | dasmith | 7/19/2012 | B | 721050010 | N |
| | | CHECKED | | PN: | 721050010 | SHEET 2 OF 2 |