

NIGHT SCAN LED UPGRADE KITS





Watch Product Video



Visit Corporate Website



Download Product Brochure



Watch Corporate Video



NIGHT SCAN LED SCENE LIGHT UPGRADE KITS

New life for your trusted Night Scan light tower

Your apparatus's Night Scan light tower has been there through thick and thin, providing light on the darkest nights and most challenging scenes. You rely on it for your crew's safety and to get the job done right. But those quartz halogen lights.....

We get it, you can no longer trust those halogen bulbs, they just do not last as long as they used to. You want the latest Night Scan with all of its modern tech and those LED lights that are so bright and seem to last forever, but it's just not in the budget right now.

We have just the thing to get extra life and LIGHT out of your Night Scan, an LED Scene Light Upgrade Kit. We have an upgrade kit for nearly every Night Scan we have ever made.

Give us a call and we can help you through the simple process of upgrading your Night Scan.

The following pages offer guides to identify which type of LED Upgrade Kit will be compatible with your Night Scan. Available for Do-It-Yourself or Will-Burt Factory Service installation.



NIGHT SCAN LIGHT PACKAGE OPTIONS

The most popular light brands are available from FRC, Night Scan, Will-Burt, and Whelen. Experience the benefits of LED scene lighting longer life, low power consumption and rugged reliability.



 $\square \cap \cap$

480



Spot / Flood

HOW-TO DETERMINE THE CORRECT LED UPGRADE KIT

- 1. Send us a photo of the RCP unit (box at top of mast where lights connect).
- 2. Send us the part number (begins with NS) and model (9 digit number) from the data plate located near the base of the mast.

| Model number: | |
|-----------------|--|
| | |
| NS Part Number: | |

3. Determine maximum total width and maximum height from top of RCP available for new light package. Is the unit in a well? Are there other obstructions? LED light fixtures are often wider than halogen fixtures.

| Maximum width: | |
|----------------|--|
| | |

Maximum height from top of RCP when stowed:







Submit Model number and NS part number



Determine maximum width and height from top of RCP

4. Call Will-Burt to review your options and place your order: 330-684-4000.





Send in a photo of the RCP unit



Maximum of 4 lights available for Powerlite models prior to 2013.

Available for do-it-yourself or Will-Burt Factory Service installation.

2 lights available for Chief models prior to 2010.









LED LIGHTING UPGRADE KITS SOLID SHAFT IDENTIFICATION

- Square, convex plastic covers
- Solid Shafts






Solid Shaft - NS Chief



Shaft is connected internally - No visible screws



Solid Shaft - NS Powerlite


| Brand | Model | Light Warranty | Volts | Number of Lights | Total Lumens | Total Watts | Chief 1.8 | Chief 2.3 | *Powerlite | *Vertical | RCP Style |
|-----------|-------------------------|----------------|---------|------------------|--------------|-------------|-----------|-----------|------------|-----------|-----------|
| Will-Burt | Will-Burt WB 300 | 2 | 120/240 | 2 | 90,000 | 600 | | | х | х | Shaft |
| Will-Burt | Will-Burt WB 480 | 2 | 120/240 | 2 | 144,000 | 960 | | | х | х | Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 2 | 28,000 | 100 | х | х | | | Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 4 | 56,000 | 200 | х | Х | | | Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 4 | 56,000 | 200 | х | х | х | х | Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 2 | 40,000 | 250 | х | х | | | Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 4 | 80,000 | 500 | х | х | | | Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 4 | 80,000 | 500 | х | х | х | х | Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 6 | 120,000 | 750 | | | х | х | Shaft |
| Will-Burt | Night Scan Sirion | Lifetime | 120/240 | 2 | 220,000 | 1200 | | | х | х | Shaft |
| FRC | SPECTRA | 5 | 120 | 6 | 120,000 | 1380 | | | х | х | Shaft |
| FRC | SPECTRA Max | 5 | 120 | 4 | 112,000 | 1344 | | | х | х | Shaft |
| FRC | SPECTRA Max | 5 | 120 | 6 | 168,000 | 2016 | | | x | x | Shaft |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 120 | 4 | 82,456 | 600 | х | х | х | х | Shaft |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 120 | 6 | 123,684 | 900 | | | x | x | Shaft |
| FRC | SPECTRA | 5 | 240 | 4 | 80,000 | 920 | | х | х | | Shaft |
| FRC | SPECTRA | 5 | 240 | 6 | 120,000 | 1380 | | | х | х | Shaft |
| FRC | SPECTRA Max | 5 | 240 | 4 | 112,000 | 1344 | | | х | х | Shaft |
| FRC | SPECTRA Max | 5 | 240 | 6 | 168,000 | 2016 | | | х | Х | Shaft |

LED LIGHTING UPGRADE KITS

COLLAR SHAFT IDENTIFICATION

- Square, convex plastic covers
- Collar Shaft







Collar has screws







Collar Shaft - NS Powerlite




| Brand | Model | Light Warranty | Volts | Number of Lights | Total Lumens | Total Watts | Chief 1.8 | Chief 2.3 | *Powerlite | *Vertical | RCP Style |
|-----------|-------------------------|----------------|-------|------------------|--------------|-------------|-----------|-----------|------------|-----------|-----------|
| FRC | SPECTRA | 5 | 12 | 2 | 40,000 | 460 | Х | х | | | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 12 | 2 | 40,522 | 300 | х | х | | | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 12 | 4 | 81,044 | 600 | х | х | | | Collar |
| Will-Burt | WB 140 | 5 | 12/24 | 2 | 28,000 | 100 | х | Х | | | Collar |
| Will-Burt | WB 140 | 5 | 12/24 | 4 | 56,000 | 200 | х | х | х | х | Collar |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 2 | 40,000 | 250 | Х | Х | | | Collar |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 4 | 80,000 | 500 | х | х | х | х | Collar |
| FRC | SPECTRA | 5 | 24 | 4 | 80,000 | 920 | | Х | | | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 24 | 2 | 40,522 | 300 | х | х | | | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 24 | 4 | 81,044 | 600 | х | х | х | х | Collar |
| FRC | SPECTRA | 5 | 120 | 2 | 40,000 | 460 | х | х | | | Collar |
| FRC | SPECTRA | 5 | 120 | 4 | 80,000 | 920 | | Х | х | Х | Collar |
| FRC | SPECTRA Max | 5 | 120 | 4 | 112,000 | 1344 | | | х | х | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 120 | 2 | 41,228 | 300 | Х | Х | | | Collar |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 120 | 4 | 82,456 | 600 | х | х | х | х | Collar |
| FRC | SPECTRA | 5 | 240 | 2 | 40,000 | 460 | х | Х | | | Collar |
| FRC | SPECTRA | 5 | 240 | 4 | 80,000 | 920 | | х | х | х | Collar |
| FRC | SPECTRA Max | 5 | 240 | 2 | 56,000 | 672 | х | х | | | Collar |
| FRC | SPECTRA Max | 5 | 240 | 4 | 112,000 | 1344 | | | х | х | Collar |


LED LIGHTING UPGRADE KITS APPLETON SHAFT IDENTIFICATION


- Old Style flat RCP covers
- Solid Shafts











| Brand | Model | Light Warranty | Volts | Number of Lights | Total Lumens | Total Watts | Chief 1.8 | Chief 2.3 | Powerlite | Vertical | RCP Style |
|-----------|------------------|----------------|---------|------------------|--------------|-------------|-----------|-----------|-----------|----------|-------------|
| Will-Burt | WB 150 | 2 | 120/240 | 2 | 45,000 | 300 | | | Х | Х | Apple Shaft |
| Will-Burt | WB 300 | 2 | 120/240 | 2 | 90,000 | 600 | | | х | х | Apple Shaft |
| FRC | SPECTRA | 5 | 240 | 2 | 40,000 | 460 | | | х | х | Apple Shaft |
| FRC | SPECTRA | 5 | 240 | 4 | 80,000 | 920 | | | х | х | Apple Shaft |
| FRC | SPECTRA Max | 5 | 240 | 2 | 56,000 | 672 | | | х | х | Apple Shaft |
| FRC | SPECTRA Max | 5 | 240 | 4 | 112,000 | 1344 | | | х | х | Apple Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 2 | 28,000 | 100 | | | х | х | Apple Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 4 | 56,000 | 200 | | | х | х | Apple Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 2 | 40,000 | 250 | | | х | х | Apple Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 4 | 80,000 | 500 | | | х | х | Apple Shaft |


LED LIGHTING UPGRADE KITS


FLANGE SHAFT IDENTIFICATION

- Old Style flat RCP covers **OR** Skull Shaped RCP
- Flanged Shafts

















| Brand | Model | Light Warranty | Volts | Number of Lights | Total Lumens | Total Watts | Chief 1.8 | Chief 2.3 | Powerlite | Vertical | RCP Style |
|-----------|-------------------------|----------------|---------|------------------|--------------|-------------|-----------|-----------|-----------|----------|--------------|
| Will-Burt | WB 150 | 2 | 120/240 | 2 | 45,000 | 300 | | | Х | Х | Flange Shaft |
| Will-Burt | WB 300 | 2 | 120/240 | 2 | 90,000 | 600 | | | х | Х | Flange Shaft |
| FRC | SPECTRA | 5 | 240 | 2 | 40,000 | 460 | | | х | Х | Flange Shaft |
| FRC | SPECTRA | 5 | 240 | 4 | 80,000 | 920 | | | х | Х | Flange Shaft |
| FRC | SPECTRA Max | 5 | 240 | 2 | 56,000 | 672 | | | х | Х | Flange Shaft |
| FRC | SPECTRA Max | 5 | 240 | 4 | 112,000 | 1344 | | | х | Х | Flange Shaft |
| Whelen | Pioneer Plus Spot/Flood | Lifetime | 120 | 4 | 82,456 | 600 | | | х | Х | Flange Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 2 | 28,000 | 100 | | | х | Х | Flange Shaft |
| Will-Burt | WB 140 | 5 | 12/24 | 4 | 56,000 | 200 | | | х | Х | Flange Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 2 | 40,000 | 250 | | | х | Х | Flange Shaft |
| Will-Burt | Night Scan X 200 | Lifetime | 12/24 | 4 | 80,000 | 500 | | | х | Х | Flange Shaft |

CONTACT YOUR SALES REPRESENTATIVE TODAY





Contact Us Complete a Contact Form

WILL-BURT NORTH AMERICA

WORLD HEADQUARTERS

401 Collins Boulevard, Orrville, OH USA 44667 Telephone: +1 330 682 7015 Mast Customer Service: +1 330 684 4000 Fax: +1 330 684 1190 Email: info@willburt.com

WILL-BURT ASIA

SINGAPORE SALES OFFICE

1 Fullerton Road, #02-01 One Fullerton, Singapore 049213 Telephone: +65 6832 5689 Fax: +65 6722 0664 / Email: info@willburt.com

INTEGRATED TOWER SYSTEMS

A WILL-BURT COMPANY

2703 Dawson Road Tulsa, OK 74110 Telephone: +1 800 850 8535 Fax: +1 918 749 8537 Email: programs@itstowers.com

D-91344 Waischenfeld, Germany Telephone: +49 9202 180 Fax: +49 9202 1811 Email: info@willburt.com

WILL-BURT

GFRMANY

Fischergasse 25

WILL-BURT TÜRKÍYE

Ahi Evran OSB Mahallesi, Nahcivan Caddesi, No: 8/2, Sincan, Ankara 06935 Telephone: +90 535 662 9060 / Fax: +90 312 502 6970 Email: info@willburt.com

WILL-BURT **UNITED KINGDOM**

Unit 5b, Station Approach Four Marks, Alton Hampshire, GU34 5HN, United Kingdom Telephone: +44 (0) 1403 265532 Fax: +44 (0) 1403 259072 / Email: info@willburt.com

CLARK MASTS

A WILL-BURT COMPANY

18-20 Ringwood Road, Binstead, Isle of Wight, PO33 3PA, England Telephone: +44 (0) 1983 563691/567090 Fax: +44 (0) 1983 566643/811157 E-mail: sales@clarkmasts.com

The Will-Burt Company, headquartered in Orrville, Ohio, USA, is the world's premier manufacturer of mobile telescoping masts, towers and pan and tilt positioners. We offer virtually every mobile payload elevation and integration solution for defense, government, first responders, cellular and mobile, broadcast, energy production and other markets. Will-Burt also offers contract manufacturing, metal fabrication, powder-coating, and rapid prototyping services. Will-Burt is an international company with offices and manufacturing in the USA, England, and Germany along with offices in Singapore and a joint venture in Turkey. All Will-Burt Company manufacturing locations are backed by a certified ISO 9001:2015 Quality Management System. Incorporated in 1918, Will-Burt is 100% employee

f 💟 🚻 in 🧿 ISO 9001:2015 © February, 2024 The Will-Burt Company